

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: Applicants have claimed a foam control composition according to present claim 1. While siloxane compounds and glycerol esters are known in the art for reducing foam, the prior art does not teach the specific six ingredients presently claimed in the specific proportions of the present application. It would not have been obvious to one of ordinary skill in the art to select the specific polydiorganosiloxane fluid in combination with the specific mixture of glycerol esters presently claimed absent the teachings of the present application. Accordingly the present claims are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles I. Boyer whose telephone number is 571 272 1311. The examiner can normally be reached on M-Th 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571 272 1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1796

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Charles I Boyer
Primary Examiner
Art Unit 1796

/Charles I Boyer/
Primary Examiner, Art Unit 1796